

TECHNIQUE CARDS INDEX 607

ACRYLIC PAINTS

			<i>SHEET</i>
2K	607.0759	ACRYLIC 2K ENAMEL HIGH APPEARANCE	66
2K	607.0731	ACRYLIC 2K ENAMEL - 7 GLOSS - DIRECT ADHESION	63
2K	607.0735	ACRYLIC 2K ENAMEL - GLOSSY - DIRECT ADHESION	64
2K	607.0737 MATT	ACRYLIC 2K ENAMEL - MATT - 20 GLOSS- DIRECT ADHESION	65
1K	607.0760	ACRYLIC 1K ENAMEL - GLOSSY	67
1K	607.0761 MATT	ACRYLIC 1K ENAMEL - MATT	68

NITRO PAINTS

			<i>SHEET</i>
607.0402		NITRO ACRYLIC ENAMEL	24
607.0512		FAST INDUSTRIAL NITRO ENAMEL	40
607.0522		INDUSTRIAL NITRO ENAMEL	5
607.0541 MATT		MATT NITRO ENAMEL	28
607		HAMMER FINISH	17

QUICK DRYING SYNTHETIC PAINTS

			<i>SHEET</i>
607.0209		OVEN DRYING (80°C) ENAMEL	3
607.0211		OVEN DRYING (120°C) ENAMEL	4
607.0603		BRUSH SYNTHETIC ENAMEL	6
607.0606 MATT		MATT BRUSH SYNTHETIC ENAMEL	31
607.0611		QUICK DRYING HIGH SOLID ONE COMPONENT ENAMEL	53
607.0612		INDUSTRIAL FAST DRYING ENAMEL	39
607.0613		LARGE SURFACES ENAMEL QUICK DRYING	7
607.0614		QUICK DRYING ENAMEL	8
607.0615		QUICK DRYING ENAMEL QUICK	9
607.0616		QUICK DRYING ENAMEL WITH HIGH HIDING POWER	23
607.0617 MATT		MATT QUICK DRYING ENAMEL	32
607		HAMMER FINISH	17
607.0212		SEMI-MAT TEXTURED ENAMEL - STOVING AT 120C°	33

TECHNIQUE CARDS INDEX 607

POLYURETHAN PAINTS

			<i>SHEET</i>
607.0820	HIGH SOLID ACRYLIC ENAMEL	VOC = 420 gr/lt	55
607.0822	INDUSTRIAL POLYURETHAN ENAMEL	VOC = 420 gr/lt	56
607.0803	POLYURETHAN ENAMEL EXTRA		44
607.0812	INDUSTRIAL POLYURETHAN ENAMEL		27
607.0814	POLYURETHAN ENAMEL		12
607.0815	MEDIUM-SOLID POLYURETHAN ENAMEL		13
607.0816 MATT	MATT POLYURETHAN ENAMEL		14
607.0817 MATT	INDUSTRIAL MATT POLYURETHAN ENAMEL		25
607	HAMMER FINISH		17

SPECIAL EFFECT - TEXTURED - EMBOSSED

			<i>SHEET</i>
607.0131	CHLORINATE RUBBER ENAMEL		1
607	HAMMER FINISH		17
607.0819	SPECIAL EFFECT – EMBOSSED – POLYURETHAN		16
607.0818	GLOSS EMBOSSED POLYURETHAN ENAMEL		15/A
607.0827	SILICON GLOSSY ENAMEL HIGH TEMPERATURE RESISTING		26
607.0772	TEXTURED 2K ENAMEL		62

EPOXY PAINTS

			<i>SHEET</i>
607.0771 MATT	EPOXY 2K ENAMEL MATT		71
607.0809	HIGH RESISTANCE EPOXY TEXTURED CONVERTER		35/A
607.0810 MATT	MATT EPOXY TEXTURED ENAMEL		11
607.0145	GLOSSY EPOXY ENAMEL		2
607.0880	COLOURED EPOXI PRIMER		34

TECHNIQUE CARDS INDEX 607

ANTIRUST – PRIMER

		<i>SHEET</i>
607.0661	PRIMER FOR ALUMINIUM AND ZINC - PLATED SHEET METAL	52
607.0662	SYNTHETIC ANTIRUST QUICK DRYING	10

IRON – MICACEOUS PAINTS

		<i>SHEET</i>
607.0605 MATT	MATT IRON-MICACEOUS ENAMEL	29
607.0608	LARGE GRAIN MICACEOUS SATIN FINISH IRON ENAMEL	43
607.0609	EXTRA LARGE GRAIN IRON-MICACEOUS SATIN FINISH ENAMEL	54
607.0831/0832/0833	IRON-MICACEOUS FINISH ENAMEL 2K - DIFFERENT GRAIN	57

OTHER PAINTS

		<i>SHEET</i>
607.0626	2K HALF-MAT PASTEL COLOURS	59
607.0830 MATT	MATT ENAMEL “SOFT”	48
607.0850	ACRYLIC - VINYL ENAMEL 2K	58

SPECIAL APPLICATIONS

		<i>SHEET</i>
607.0818	GLOSS EMBOSSED POLYURETHAN ENAMEL	15/A
607.	ELECTROSTATIC APPLICATION	18
607.	AIRLESS OR AIRMIX APPLICATION	19
607.	SEMI-GLOSS OR MATT ENAMEL	20-/A
607. MATT	MATT OR SEMI-GLOSS POLYURETHAN ENAMELS	21
607.	GLOSS TRASPARENTS / MATT TRASPARENTES	22-/A